


Custom Air Handling Units



Drawing No. or Model	Description	PAGE
D33988 E	HTDM w/ Packaged DX Cooling (HTDM 400 DX 13)	Q-1
P00123	HTDM w/ Packaged DX Cooling (HTDM 400)	Q-2
60-27497	HTDM w/ Heat Wheel, Packaged DX Cooling & Gas Humidifier (HTDM 1000 DX 30)	Q-3
60-26694	HTDM 1000 (Side Discharge) w/ Packaged DX Cooling (HTDM 1000 DX 22)	Q-4
60-26695	Roof Curb for HTDM 1000 (Side Discharge) w/ Packaged DX Cooling	Q-5
60-27605	HTDM w/ Glycol Loop, Gas Humidifier & Packaged DX Cooling (HTDM 1000)	Q-6
P00067	GIDM w/ Packaged DX Cooling (GIDM 275-325)	Q-7
P00068	GIDM w/ Packaged DX Cooling (GIDM 275-325)	Q-8
P00126	GIDM w/ Packaged DX Cooling (GIDM 175 DX 100)	Q-9
60-27415	GIDM w/ Packaged DX Cooling (GIDM 125 DX 30)	Q-10
AH-80-BI-R/A-DX15	Air Handling Unit w/ Heating Water Coil, Packaged DX Cooling & Service Corridor with Glycol Unit Heater	Q-11
AH-240-BI-R/A-DX50	Air Handling Unit w/ Heating Water Coil, Packaged DX Cooling & Service Corridor with Glycol Unit Heater	Q-12
AH-400-BI-R/A-DX90	Air Handling Unit w/ Heating Water Coil, Packaged DX Cooling & Service Corridor with Glycol Unit Heater	Q-13
FAHU01	Air Handling Unit w/ Steam Coil, Packaged DX Cooling & Service Corridor with Glycol Unit Heater (AH70 DX20)	Q-14
PKH-2468-1	Air Handling Unit w/ Electric Heating Coil, Packaged DX Cooling & Service Corridor with Electric Unit Heater (AH 320 DX 60)	Q-15
PKH-2468-2	Air Handling Unit w/ Electric Heating Coil, Packaged DX Cooling & Service Corridor with Electric Unit Heater (AH 600 DX 120)	Q-16
PKH-2468-3	Air Handling Unit w/ Electric Heating Coil, Packaged DX Cooling & Service Corridor with Electric Unit Heater (AH 320 DX 60)	Q-17
60-26033C	Air Handling Unit w/ Electric Heating Coil & Packaged DX Cooling (AH 125 DX 30)	Q-18
60-26908B	Air Handling Unit w/ Electric Heating Coil & Packaged DX Cooling (AH 40 DX 10)	Q-19
60-26908C	Air Handling Unit w/ Electric Heating Coil & Packaged DX Cooling (AH 60 DX 15)	Q-20
60-26688	GIDMH w/ Packaged DX Cooling (GIDMH 100 DX 60)	Q-21
60-27237	BMA w/ Packaged DX Cooling (BMA 115 DX 10)	Q-22
D32845	BMA w/ Packaged DX Cooling (BMA 109 DX 05)	Q-23
60-27601	BMA w/ Packaged DX Cooling (BMA 122 DX 27)	Q-24
60-26305	BMAE w/ Electric Heating Coil & Packaged DX Cooling (BMAE 300 DX 24)	Q-25
60-27399	BMAE w/ Packaged DX Cooling (BMAE 40 DX 10)	Q-26
34115	MTI w/ Packaged DX Cooling (MTI 12-400 DX 06)	Q-27



WESTERN HTDM SERIES

TITLE
HTDM 400 DX13


Rev. By	Revision Description	Date	CHK. BY	DATE	ISSUED BY	SCALE	DRW. NO.	PAGE
						1:38	D33988E	Q-1









NOTE:

- (S) SPLIT FOR SHIPMENT:**
1. 1 1/2 INLET AND DISCHARGE FLANGES.
 2. SERVICE ACCESS PANELS MUST NOT BE OBSTRUCTED. RECOMMENDED CLEARANCE 24 INCHES.
- DIMENSIONS ARE SUBJECT TO MANUFACTURING TOLERANCE

[illegible]



--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--






NOTE:

1. ASSEMBLY HARDWARE INCLUDED WITH CURB.
2. SEE CUSTOMER DWG. #60-26695

CENTER BRACING
BOLTING ASSEMBLY DETAIL #2

CORNER BOLTING ASSEMBLY DETAIL #1

					<div>ICG HTDM SERIES</div>					TITLE			
					HTDM 1000 16" PERIMETER ROOF CURB								
					DRAWN BY	ISSUED BY	SCALE	DRW. NO.					
					JR		1:38	60-26695					
					CHK. BY	DATE		JOB NO.	PAGE				
Rev	Bv	Revision Description			Date								



NOTE:

- 1 1/2 INLET AND DISCHARGE FLANGES.
- SERVICE ACCESS PANELS MUST NOT BE OBSTRUCTED. RECOMMENDED CLEARANCE 24 INCHES

DIMENSIONS ARE SUBJECT TO MANUFACTURING TOLERANCES.




TITLE

HTDM 1000 HORIZ CONFIG, GRAVITY VENTED
OUTDOOR UNIT c/w FLAT FILTER, MIX BOX w/ RETURN
DX COIL, CONDENSING UNIT, AND LOUVERED INLET

DRAWN BY	ISSUED BY	SCALE	DRW. NO.	PAGE
JR		1:46	60-27605	Q-6
CHK. BY	DATE		JOB NO.	

OCT. 30/08
Date

Rev By Revision Description



NOTES:

③ SPLIT FOR SHIPMENT


1. 1 1/2 INLET AND DISCHARGE FLANGES

2. SERVICE ACCESS PANELS MUST NOT BE OBSTRUCTED RECOMMENDED CLEARANCE 24 INCHES.

3. DIMENSIONS ARE SUBJECT TO MANUFACTURING TOLERANCES.

FOR REFERENCE USE ONLY, SUBJECT TO CHANGE WITHOUT NOTICE

98



TITLE

GIDM 275-325 HORIZONTAL CONFIG. OUTDOOR UNIT
GRAVITY VENTED

DRAWN BY	ISSUED BY	SCALE	DRW. NO.
		1:55	P00068


CHK. BY	DATE	JOB NO.
---------	------	---------

Q-8

Rev	By	Revision Description
-----	----	----------------------

Date	
------	--

Q-8




TITLE GIDM 175 DX 100


**GIDM
SERIES**




DRAWN BY GDD	ISSUED BY	SCALE 1:70	DRW. NO. P00126
CHECKED BY	DATE	JOB NO. --	PAGE Q-9




--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



		TITLE 8,829CFM CONVERTIBLE WET AIR HANDLING UNIT MIXING SECTION, HEATING/COOLING WATER COILS, 18" FC DWDI FAN c/w 5HP MOTOR&18" BI DWDI FAN c/w 10HP MOTOR MODEL: AH-80-BI-R/A	
		DRAWN BY ISSUED BY CHK. BY	SCALE 1/4"=1' DATE JOB NO.
Rev	By	Description Date	
		DRW. NO.	PAGE Q-11





TOP VIEW



- NOTES:
1. 1 1/2 INLET AND DISCHARGE DUCT FLANGES
 2. SERVICE ACCESS PANELS MUST NOT BE OBSTRUCTED RECOMMENDED CLEARANCE 24 INCHES.
 3. DIMENSIONS ARE SUBJECT TO MANUFACTURING TOLERANCES. FOR REFERENCE USE ONLY, SUBJECT TO CHANGE WITHOUT NOTICE

TAG: TYPE 2

		TITLE 26 486CFM CONVERTIBLE WET AIR HANDLING UNIT MIXING SECTION, HEATING/COOLING WATER COILS, 33" FC DWDI FANc/w15HP MOTOR&33" BI DWDI FAN c/w 25HP MOTOR MODEL: AH-240-BI-R/A	
		DRAWN BY ISSUED BY SCALE 1/5"=1'	DRW. NO. JOB NO.
Rev. By	Revision Description	DATE	PAGE Q-12






NOTES:



- NOTES:
1. 1 1/2 INLET AND DISCHARGE DUCT FLANGES
 2. SERVICE ACCESS PANELS MUST NOT BE OBSTRUCTED RECOMMENDED CLEARANCE 24 INCHES.
 3. DIMENSIONS ARE SUBJECT TO MANUFACTURING TOLERANCES. FOR REFERENCE USE ONLY, SUBJECT TO CHANGE WITHOUT NOTICE

TAG: TYPE 3

					TITLE 44. 144CFM CONVERTIBLE WET AIR HANDLING UNIT MIXING SECTION, HEATING/COOILING WATER COILS, 40" FC DWDI FANC/w20HP MOTOR&40" BI DWDI FAN c/w 40HP MOTOR MODEL: AH-400-BI-R/A	DRAWN BY	ISSUED BY	SCALE 1/6"=1'	DRW. NO.	PAGE Q-13
Rev By				Date		CHK. BY	DATE	JOB NO.		
				Revision Description						





			<div><div>AH SERIES</div></div>	TITLE AH 320 DX60							PAGE Q-15
Rev	By	Revision Description		DRAWN BY	ISSUED BY	SCALE 1:70	DRW. NO. PKH-2468-1				
				CHK. BY	DATE		JOB NO.				



- NOTES:

1. 1 1/2 INLET AND DISCHARGE FLANGES
2. SERVICE ACCESS PANELS MUST NOT BE
OBSTRUCTED RECOMMENDED CLEARANCE 24 INCHES.
3. DIMENSIONS ARE SUBJECT TO MANUFACTURING TOLERANCES.
FOR REFERENCE USE ONLY, SUBJECT TO CHANGE WITHOUT NOTICE

					TITLE AH 125 DX30	DRAWN BY GDD	ISSUED BY	SCALE 1:40	DRW. NO. 60-26033C	PAGE Q-18
Rev	Bv	Revision Description	Date			CHK. BY	DATE	JOB NO.		





NOTES:

③ SPLIT FOR SHIPMENT

1. 1 1/2 INLET AND DISCHARGE FLANGES
2. SERVICE ACCESS PANELS MUST NOT BE OBSTRUCTED RECOMMENDED CLEARANCE 24 INCHES.
3. DIMENSIONS ARE SUBJECT TO MANUFACTURING TOLERANCES.


FOR REFERENCE USE ONLY, SUBJECT TO CHANGE WITHOUT NOTICE

				TITLE AH40DX10					
Rev	By	Revision Description			Date				
			AH SERIES		DRAWN BY	ISSUED BY	SCALE	DRW. NO.	
					GD		1:44	60-26908B	
					CHK. BY	DATE		JOB NO.	PAGE
								Q-19	




NOTES:
SEE ROOF CURG DWG. 60-26689
S SPLIT FOR SHIPMENT
1. 1 1/2 INLET AND DISCHARGE
2. SERVICE ACCESS PANELS MUST
BE OBSTRUCTED RECOMMENDED CLEAR
3. DIMENSIONS ARE SUBJECT TO
FOR REFERENCE USE ONLY
SUBJECT TO CHANGE WITHOUT NOTICE

3 HOOD SIDE VIEW


[illegible]

BURNER BLOWER SECTION

INLET HOOD W/ FILTERS
(2-24X24X2, 2-12X24X2)



TOP VIEW



SIDE VIEW

- NOTE:
1. 1 1/2" INLET AND DISCHARGE FLANGES.
 2. SERVICE ACCESS PANELS MUST NOT BE OBSTRUCTED
RECOMMENDED CLEARANCE 24 INCHES.
 3. DIMENSIONS ARE SUBJECT TO MANUFACTURING TOLERANCES.


■ HINGED DOORS
■ DAMPER

TITLE


BMA 109 HORIZ DISCH.
WITH HOOD AND FILTERS

WESTERN
BMA SERIES


Rev	By	Revision Description	Date	CHK. BY	DATE	ISSUED BY	SCALE	DRW. NO.	JOB NO.	PAGE
						JR	1:24	D32845		Q-23



				TITLE BMA 122 HORIZONTAL CONFIGURATION SINGLE BLOWER W/ BOTTOM DISCHARGE COIL PLENUM	
				DRAWN BY JR	SCALE 1:26
				ISSUED BY JR	DRW. NO. 60-27601
				CHK. BY	JOB NO.
				DATE	PAGE Q-24
Rev	By	Revision Description			
A	JR	Added vertibule for compressor and modified roofcurb.			
		OCT. 27/08		Date	





TOP VIEW



SIDE VIEW

- NOTES:
1. 1 1/2 INLET AND DISCHARGE FLANGES.
 2. SERVICE ACCESS PANELS MUST NOT BE OBSTRUCTED RECOMMENDED CLEARANCE 24 INCHES.
 3. DIMENSIONS ARE SUBJECT TO MANUFACTURING TOLERANCES.
- FOR REFERENCE USE ONLY, SUBJECT TO CHANGE WITHOUT NOTICE.

				 WESTERN BMAE SERIES				TITLE BMAE 40DX10 HORIZONTAL CONFIGURATION OUTDOOR INDUSTRIAL COOLING UNIT			



- Notes

24x12

N12-12S

MTI 12-400



DRW. NO.	24115
----------	-------

Rev	By	Revision Description
-----	----	----------------------

Date _____